

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

threaded execution vehicle

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 690,000 for **threaded execution vehicle**. (0.15 seconds)

SGI TPL View (pthreads) - 10:14pm

The POSIX **thread** programming model (known as pthreads) introduces the concept of ... attributes of the **thread** and the kernel **execution vehicle** are the same. ...

techpubs.sgi.com/.../getdoc.cgi?coll=0650&

db=man&fname=/usr/share/catman/p_man/cat5/pthreads.z - 31k - [Cached](#) - [Similar pages](#)

SGI TPL View (pthread_attr_setscope)

Each bound scope **thread** executes on a separate kernel **execution vehicle**. The scheduling policy of these kernel **execution vehicles** is determined by the ...

techpubs.sgi.com/.../usr/share/catman/p_man/cat3p/pthread_attr_setscope.z - 14k -

[Cached](#) - [Similar pages](#)

[[More results from techpubs.sgi.com](#)]

State Threads for Internet Applications

Kernel **execution vehicles** are also known as virtual processors. Whenever a user-level **thread** makes a blocking system call, the kernel **execution vehicle** it ...

state-threads.sourceforge.net/docs/st.html - 24k - [Cached](#) - [Similar pages](#)

UPC Language Features

In UPC terms, the **execution vehicle** for a program is called a **thread**. The language defines a private variable - MYTHREAD - that can be used to distinguish ...

upc.lbl.gov/lang-overview.shtml - 9k - [Cached](#) - [Similar pages](#)

Features of the Novell Kernel Services Programming Environment for ...

This clear separation of the **execution vehicle** (the **thread**) from the work being executed (the context) provides an efficient and scalable infra structure ...

support.novell.com/techcenter/articles/dnd19990905.html - 38k - [Cached](#) - [Similar pages](#)

Graticule - Map GPS DLL - decode and analyse NMEA GPS data.

GPS DLL used to map real-time **vehicle** locations onto digital map data using GPS data. ...

A separate **thread** of **execution** monitors each source of GPS data. ...

www.graticule.com/products/MapGPS.html - 15k - [Cached](#) - [Similar pages](#)

[PDF] CONCURRENT MODELING & SIMULATION IN JAVA

File Format: PDF/Adobe Acrobat - [View as HTML](#)

thread: **execution** of a piece of code that occurs independently of and possibly ... The

Parsimony Project is a **vehicle** for conducting research in distributed ...

monarc.web.cern.ch/MONARC/sim_tool/Slides/il_monarc_dec.pdf - [Similar pages](#)

[PDF] A Software Framework for Vehicle-Infrastructure Cooperative ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

creates a **vehicle worker thread** for handling the. communication with the specific **vehicle**.

... defining a partial **execution** order for all the listeners. ...

arxiv.org/pdf/cs.LR/0512032 - [Similar pages](#)

[PDF] The Komodo Project: Thread-based Event Handling Supported by a ...

File Format: PDF/Adobe Acrobat

explained in combination with an Automatic Guided **Vehicle**. (AGV) application. ... highest-priority **thread** for **execution**. 3. Percental priority **thread**. ...

ieeexplore.ieee.org/iel5/6447/17218/00794770.pdf - [Similar pages](#)

[PDF] A Multithreaded Java Microcontroller for Thread-Oriented Real-Time ...

File Format: PDF/Adobe Acrobat

the maximum **vehicle** speed without violating the real-time. constraints, ISTs dominate SRs

by ... each task is assigned to a **thread** (IST) with the **execution**- ...
ieeexplore.ieee.org/iel5/6544/17466/00807403.pdf - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Get organized for the new year with [Google Desktop](#).

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 298,000 for **thread structure pointer multiprocessing**. (0.28 seconds)**[PDF] Beyond Multiprocessing ... Multithreading the SunOS Kernel**File Format: PDF/Adobe Acrobat - [View as HTML](#)applicable to most **multiprocessing** architectures. To speed access to the **thread**, ...
pointers in the **thread structure**. In the future we ...opensolaris.org/os/project/muskoka/doc_attic/beyond_mp.pdf - [Similar pages](#)**[PDF] HP-UX multiprocessing**

File Format: PDF/Adobe Acrobat

MultiProcessing. MP Data Structures. **Threads** information. Current process priority,
indication of. whether **thread** is on the processor, **pointer** to active ...devresource.hp.com/drc/STK/docs/refs/mp.pdf - [Similar pages](#)**MP Data Structures****MultiProcessing** – HP-UX **MultiProcessing**: White Paper, HP Part Number ... of whether
thread is on the processor, **pointer** to active **thread structure**, ...docs.hp.com/en/5965-4643/ch01s04.html - 30k - [Cached](#) - [Similar pages](#)**Writing Device Drivers for the Solaris OS (x86 Platform Edition)**A state **structure pointer** subsequently becomes available with ... Device driver routines
run in kernel **threads**. On **multiprocessor** systems, several kernel ...developers.sun.com/solaris/articles/writingdev.html - 28k - [Cached](#) - [Similar pages](#)**J. Johnston - Re: Reentrancy support for multiprocessor systems**As far as I understand, newlib is fully reentrant providing that each process has a separate
reentrancy **structure**, and the **pointer** to that **structure** is ...sourceware.org/ml/newlib/2003/msg00182.html - 6k - [Cached](#) - [Similar pages](#)**[PDF] Symmetric Multiprocessing for the AIX Operating System - Compcon ...**

File Format: PDF/Adobe Acrobat

iith.eud **structure** that is pagable. The **thread structure** ... an invalid **pointer**, the SIGSIGV
is deliv-. ered to that **thread**. A signal sent to a process, ...ieeexplore.ieee.org/iel3/3873/11295/00512372.pdf?arnumber=512372 - [Similar pages](#)**High speed methods for maintaining a summary of thread activity ...**The high threat to data coherency in multicomputer and **multiprocessor** ... In this
implementation, internal data **structure pointers** are aligned on a 4 byte ...www.freepatentsonline.com/6886162.html - 89k - [Cached](#) - [Similar pages](#)**Multiprocessing**Under the normal **multiprocessing** model, each process has one implementation **structure**
(**thread structures** for os-threads implementations, and stack-groups ...www.franz.com/support/documentation/6.2/doc/multiprocessing.htm - 122k -[Cached](#) - [Similar pages](#)**Windows NT: Lesson 4 - Multitasking and Multiprocessing**A processor state including the current instruction **pointer**. ... But only one **thread** executes
at a time. On a **multiprocessor** platform, more than one ...www.microsoft.com/technet/archive/winntas/training/ntarchitectoview/ntarc_4.mspx - 31k -[Cached](#) - [Similar pages](#)**FreeBSD Process Management > Process State**The **thread structure** contains just the information needed to run in the kernel: ... **thread** (or
threads if the system is running on a **multiprocessor**), ...www.informit.com/articles/article.asp?p=366888&seqNum=2 - 40k - [Cached](#) - [Similar pages](#)